




			Tolerances Unless Specified		Mat'l		Drawing Number	
			Fractional ----- $\pm .015$		CABINET WIRING			
			Decimal ----- $\pm .005$					
			Angles ----- $\pm 1/2$					
ISSUE			CHANGE		DATE		Screw Threads — Class 2	





Use On INTRUDER		GAME PLAN Inc.	
PARTS MUST BE CLEAN AND FREE OF BURRS		1515 W. Fullerton Ave. Addison, ILL. 60101	
Tolerances Unless Specified	Scale	Finish	Drawn By J.T.T.
Fractional ----- ± .015	1/2" = 1"		
Decimal ----- ± .005			
Angles ----- ± 1/2°			
Screw Threads ----- Class 2			
INTRUDER C.V. P.C. BOARD		102-00720	







Use On <b>INTRUDER</b>		<b>GAME PLAN Inc.</b>	
PARTS MUST BE CLEAN AND FREE OF BURRS		1515 W. Fullerston Ave Addison ILL. 60101	
Scale	Finish	Drawn By <b>JTT</b>	
Date <b>2-16-80</b>	Am't	App By	
Mat'l	Drawing Number <b>102 - 70674D</b>		
Tolerances Unless Specified		CPU BOARD "A"	
Fractional -----	± .015		
Decimal -----	± .005		
Angles -----	± 1/2°		
Scrw Threads -----	Class 2		




NOTE 1.-TRANSISTOR



NOTE 2: CAPACITOR



NOTE 3. DIODE

SOURCE~  
PACIFIC MANUFACTURING CO., LTD.

19				
18	1	R6	AAT 55033	RES. WINDING 6Ω 2W. ±10%
17	1	R5	51801	" CARBON 33KΩ 1/4W. ± 5%
16	1	R4	51789	" " 10KΩ " "
15	1	R3	51777	" " 3.3KΩ " "
14	4	R2	51765	" " 1KΩ " "
13	2	R1	51741	RES. CARBON 100Ω 1/4W. ± 5%
12	1	C4	41244	CAP. FILM TDY-1H-104 50V.
11	2	C3	<del>41437</del>	" ELYTIC 50V.-2.2μ.
10	1	C2	41436	" TANTALUM SSG3S-1F
9	1	C1		CAP. ELECTROLYTIC 50VB33
8	1	IC2	32019	TTL IC NE555V
7	1	IC1	32001	TTL IC 7400
6	1	D2	12025	DIODE 1S158B
5	1	D1	12002	DIODE V03C
4	2	TR2	11030	TRANSISTOR 2SC1061-B
3	1	TR1	AAT11005	TRANSISTOR 2SC458-C
2	1		AA017623	CONNECTOR STICKER D
1	1		AA017770	COUNTER DRIVE P.C. BOARD
ITEM		QUAN.	SYMB	PART NUMBER
No.		REQ.		DESCRIPTION

Used On

PARTS MUST BE CLEAN  
AND FREE OF BURRSGAME PLAN Inc.  
1515 W. Fullerton Ave  
Addison ILL. 60101Scale \_\_\_\_\_ Finish \_\_\_\_\_ Drawn By **EP**Date **12-23-80** Amt **1** App. ByMat'l **NOTED** Drawing Number**02-70075C****COUNTER DRIVE P.C. BOARD**  
(INTRUDER)

C	50V.-2.2μ ELYTIC WAS TANT. SSG3S-2R2F	12-23-80
B	ITEM 10 DELETED	12-23-80
A	ITEM 9 WAS 25VB33 P/N 41034	12-23-80
ISSUE	CHANGE	DATE

Tolerances Unless Specified  
Fractional \_\_\_\_\_ ± .015  
Decimal \_\_\_\_\_ ± .005  
Angles \_\_\_\_\_ ± 1/2  
Screw Threads \_\_\_\_\_ Class 2